Kirk Sandall Industrial Estate, Doncaster, South Yorkshire, DN3 1QR

+44 (0)1302 310 113
enquiries@prosolveproducts.com
www. prosolveproducts.com

ProSolve® is a registered trademark of S.T.L Trading Company Limited
Reg in England No: 5230722
VAT Reg No: 381 3533 58

DATA SHEET

ProSolve Sharpliner Line Marking Paint - Technical Data Sheet

Product Range: PVSH Series
Pack Size: 600ml Aerosol

Product Description

ProSolve Sharpliner is a high-quality, fast-drying and hard-wearing acrylic line marking paint. The lead-free and xylene-free formulation produces highly visible markings and is ideal for projects where colour coding and identification are important. Suitable for use with compatible line marking applicators.

Traditionally use in the steel and timber industries to colour code products.

Available Colours

Blue (PVSHB6A)
Black (PVSHBLA6A)
Brown (PVSHBRO6A)
Dark Green (PVSHDG6A)
Green (PVSHG6A)
Gold (PVSHGOI6A)
Grey (PVSHGREY6A)
Magenta (PVSHM6A)
Orange (PVSHO6A)
Pale Blue (PVSHPB6A)
Pink (PVSHPIN6A)
Red (PVSHR6A)
Silver (PVSHS6A)
White (PVSHW6A)
Yellow (PVSHY6A)

Applications

- *Car parks*
- *Warehouses*
- *Factories*
- *Sports facilities*
- *Construction sites*

- *Colour coding projects*
- *Safety marking applications*

Features & Benefits

- *Fast drying acrylic formulation*
- *Hard-wearing finish*
- *Lead-free formulation*
- *Xylene-free formulation*
- *Wide range of colours available*
- *Suitable for use with line marking applicators*
- *Highly visible markings*

Directions for Use

Ensure the surface is clean and dry. Shake the can vigorously for 1-2 minutes after the agitator ball begins to move. Insert the can into a suitable line marking applicator and locate the nozzle into the spray hole. Depress the trigger to activate the aerosol. Forward movement speed controls line density. After use, invert the can and spray for 3-4 seconds to clear the nozzle.

Storage

Store cans on their side between 10°C and 25°C. Protect from direct sunlight and do not expose to temperatures exceeding 50°C.

Typical Technical Data

Appearance: Aerosol paint
Base: Acrylic marking paint
Colours: Various
Odour: Solvent-like
Application: Line marking applicator
Finish: Durable line marking coating

Health & Safety

Extremely flammable aerosol. Pressurised container may burst if heated. Toxic to aquatic life with long lasting effects. Always read the product label and Safety Data Sheet before use.

Packaging

600ml Aerosol Can
Available in multiple colours and product codes.

Company Information

ProSolve
Sandall Stones Road
Kirk Sandall Industrial Estate
Doncaster
South Yorkshire
DN3 1QR

Tel: +44 (0)1302 310 113
Email: enquiries@prosolveproducts.com

IMPORTANT NOTICE

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, ProSolve expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

Consult the Safety Data Sheet prior to use.